7　脳情報通信融合研究センター誌上発表論文一覧

7　List of Published Papers of the Center for Information and Neural Networks

CiNet の研究成果

（2018 年から 2022 年までに査読付き国際誌に発表された論文）

◆2018

[1] A. N. Belkacem, S. Nishio, T. Suzuki, H. Ishiguro, and M. Hirata, “Neuromagnetic Geminoid Control by BCI based on Four Bilateral Hand Movements,” 2018 IEEE International Conference on Systems, Man, and Cybernetics, pp.524–527, 2018, doi:10.1109/Smc.2018.00099.

[2] A. N. Belkacem, S. Nishio, T. Suzuki, H. Ishiguro, and M. Hirata, “Real-time MEG-based Brain-Geminoid Control using Single-trial SVM Classification,” 2018 3rd IEEE International Conference on Advanced Robotics and Mechatronics (IEEE ICARM), pp.679–684, 2018.

[3] D. E. Callan, T. Gateau, G. Durantin, N. Gonthier, and F. Dehais, “Disruption in neural phase synchrony is related to identification of inattentional deafness in real-world setting,” Human Brain Mapping, vol.39, no.6, pp.2596–2608, 2018, doi:10.1002/hbm.24026.

[4] D. H. F. Chang, H. Ban, Y. Ikegaya, I. Fujita, and N. F. Troje, “Cortical and subcortical responses to biological motion,” Neuroimage, vol.174, pp.87–96, 2018, doi:10.1016/j.neuroimage.2018.03.013.

[5] F. Dehais, R. N. Roy, G. Durantin, T. Gateau, and D. Callan, “EEG-Engagement Index and Auditory Alarm Misperception: An Inattentional Deafness Study in Actual Flight Condition,” Adv. Intell. Syst., vol.586, pp.227–234, 2018, doi:10.1007/978-3-319-60642-2_21.

[6] A. Desantis, P. Haggard, Y. Ikegaya, and N. Hagura, “Specificity of action selection modulates the perceived temporal order of action and sensory events,” Exp. Brain Res., vol.236, no.8, pp.2157–2164, 2018, doi:10.1007/s00221-018-5292-5.

[7] T. Doi, M. Abdolrahmani, and I. Fujita, “Spatial pooling inherent to intrinsic signal optical imaging might cause V2 to resemble a solution to the stereo correspondence problem,” Proc. Natl. Acad. Sci. U S A, vol.115, no.30, pp.E6967–E6968, 2018, doi:10.1073/pnas.1807687115.

[8] B. Falcone, A. Wada, R. Parasuraman, and D. E. Callan, “Individual differences in learning correlate with modulation of brain activity induced by transcranial direct current stimulation,” PLoS One, vol.13, no.5, e0197192, 2018, doi:10.1371/journal.pone.0197192.

[9] R. Fukuma et al., “Decoding visual stimulus in semantic space from electrocorticography signals,” IEEE International Conference on Systems, Man, and Cybernetics, pp.102–104, 2018, doi:10.1109/Smc.2018.00027.

[10] R. Fukuma et al., “Real-Time Neurofeedback to Modulate β-Band Power in the Subthalamic Nucleus in Parkinson’s Disease Patients,” eNeuro, vol.5, no.6, 2018, doi:10.1523/eneuro.0246-18.2018.

[11] R. Fukuma et al., “Training in Use of Brain-Machine Interface-Controlled Robotic Hand Improves Accuracy Decoding Two Types of Hand Movements,” Front. Neurosci., vol.12, p.478, 2018, doi:10.3389/fnins.2018.00478.

[12] M. Fukushima and O. Sporns, “Comparison of fluctuations in global network topology of modeled and empirical brain functional connectivity,” PLoS Comput. Biol., vol.14, no.9, p.e1006497, 2018, doi:10.1371/journal.pcbi.1006497.

[13] M. Gao, M. Sato, and Y. Ikegaya, “[Machine Learning-based Prediction of Seizure-inducing Action as an Adverse Drug Effect],” (in Japanese), Yakugaku Zasshi, vol.138, no.6, pp.809–813, 2018,

doi:10.1248/yakushi.17-00213-1.

[14] K. Hine and Y. Tsushima, “Not explicit but implicit memory is influenced by individual perception style,” PLoS One, vol.13, no.1, p.e0191654, 2018, doi:10.1371/journal.pone.0191654.

[15] S. Hirose, I. Nambu, and E. Naito, “Cortical activation associated with motor preparation can be used to predict the freely chosen effector of an upcoming movement and reflects response time: An fMRI decoding study,” Neuroimage, vol.183, pp.584–596, 2018, doi:10.1016/j.neuroimage.2018.08.060.

[16] Y. Hoshi et al., “Ischemic Brain Injury Leads to Brain Edema via Hyperthermia-Induced TRPV4 Activation,” J. Neurosci., vol.38, no.25, pp.5700–5709, 2018, doi:10.1523/jneurosci.2888-17.2018.

[17] S. Hosomi et al., “Inflammatory projections after focal brain injury trigger neuronal network disruption: An ^{18}F-DPA714 PET study in mice,” Neuroimage-Clin., vol.20, pp.946–954, 2018, doi:10.1016/j.nicl.2018.09.031.

[18] T. Ikegami, G. Ganesh, T. Takeuchi, and H. Nakamoto, “Prediction error induced motor contagions in human behaviors,” eLife, vol.7, 2018, doi:10.7554/eLife.33392.

[19] M. Inoue and S. Kitazawa, “Motor Error in Parietal Area 5 and Target Error in Area 7 Drive Distinctive Adaptation in Reaching,” Curr. Biol., vol.28, no.14, pp.2250–2262, 2018, doi:10.1016/j.cub.2018.05.056.

[20] S. Iwasaki and Y. Ikegaya, “In vivo one-photon confocal calcium imaging of neuronal activity from the mouse neocortex,” J. Integr. Neurosci., vol.17, no.3–4, pp.671–678, 2018, doi:10.3233/jin-180094.

[21] M. Joachimczak, J. Liu, and H. Ando, “Downsizing: the Effect of Mixed-Reality Person Representations on Stress and Presence in Telecommunication,” 2018 IEEE International Conference on Artificial Intelligence and Virtual Reality (AIVR), pp.140–143, 2018, doi:10.1109/Aivr.2018.00029.

[22] K. Katori et al., “Sharp wave-associated activity patterns of cortical neurons in the mouse piriform cortex,” Eur. J. Neurosci., vol.48, no.10, pp.3246–3254, 2018, doi:10.1111/ejn.14099.

[23] N. Kim et al., “Aberrant Neural Activation Underlying Idiom Comprehension in Korean Children with High Functioning Autism Spectrum Disorder,” Yonsei Med. J., vol.59, no.7, pp.897–903, 2018, doi:10.3349/ymj.2018.59.7.897.

[24] T. Kishimoto, Y. Maezawa, S. N. Kudoh, T. Taguchi, and C. Hosokawa, “Optical trapping of quantum-dot conjugated AMPA-type receptors depened on initial assembling states,” Proc. Spie., vol.10712, 2018, doi:10.1117/12.2319362.

[25] A. Koizumi, H. Lau, Y. Shimada, and H. M. Kondo, “The effects of neurochemical balance in the anterior cingulate cortex and dorsolateral prefrontal cortex on volitional control under irrelevant distraction,” Conscious Cogn., vol.59, pp.104–111, 2018, doi:10.1016/j.concog.2018.01.001.

[26] E. R. Kupers, H. X. Wang, K. Amano, K. N. Kay, D. J. Heeger, and J. Winawer, “A non-invasive, quantitative study of broadband spectral responses in human visual cortex,” PLoS One, vol.13, no.3, e0193107, 2018, doi:10.1371/journal.pone.0193107.

[27] Y. Kushida, H. Umehara, S. Hara, and K. Yamada, “Momentum exchange impact damper design methodology for object-wall-collision problems,” J. Vib. Control, vol.24, no.14, pp.3206–3218, 2018, doi:10.1177/1077546317703202.

[28] C. L. Li, C. Hosokawa, M. Suzuki, T. Taguchi, and N. Murase, “Preparation and biomedical applications of bright robust silica nanocapsules with multiple incorporated InP/ZnS quantum dots,” New J. Chem., vol.42, no.23, pp.18951–18960, 2018, doi:10.1039/c8nj02465k.

[29] J. Liu and H. Ando, “Response Modality vs. Target Modality: Sensory Transformations and Comparisons in Cross-modal Slant Matching Tasks,” Sci. Rep., vol.8, 11068, 2018, doi:10.1038/s41598-018-29375-w.

[30] T. Maekawa, S. J. Anderson, M. de Brecht, and N. Yamagishi, “The effect of mood state on visual search times for detecting a target in noise: An application of smartphone technology,” PLoS One, vol.13, no.4, e0195865, 2018, doi:10.1371/journal.pone.0195865.

[31] H. Maeshima, C. Hosoda, K. Okanoya, and T. Nakai, “Reduced γ-aminobutyric acid in the superior temporal gyrus is associated with absolute pitch,” Neuroreport, vol.29, no.17, pp.1487–1491, 12 05 2018, doi:10.1097/wnr.0000000000001137.

[32] H. Mano et al., “Classification and characterisation of brain network changes in chronic back pain: A multicenter study,” Wellcome Open Res., vol.3, p.19, 2018, doi:10.12688/wellcomeopenres.14069.2.

[33] T. Mano, “Camptocormia Induced by a Dopaminergic Agonist,” Clin. Neuropharmacol., vol.41, no.2, pp.70–72, 2018, doi:10.1097/Wnf.0000000000000266.

[34] K. Matsushita et al., “A Fully Implantable Wireless

ECoG 128-Channel Recording Device for Human Brain-Machine Interfaces: W-HERBS," Front. Neurosci., vol.12, p.511, 2018, doi:10.3389/fnins.2018.00511.

[35] T. Minami, K. Nakajima, and S. Nakauchi, "Effects of Face and Background Color on Facial Expression Perception," Front. Psychol., vol.9, p.1012, 2018, doi:10.3389/fpsyg.2018.01012.

[36] T. Minamoto et al., "Moderate sedation induced by general anaesthetics disrupts audio-spatial feature binding with sustained P3 components in healthy humans," Neurosci. Conscious., vol.2018, no.1, niy002, 2018, doi:10.1093/nc/niy002.

[37] N. Miyakawa et al., "Heterogeneous Redistribution of Facial Subcategory Information Within and Outside the Face-Selective Domain in Primate Inferior Temporal Cortex," Cereb. Cortex, vol.28, no.4, pp.1416–1431, 2018, doi:10.1093/cercor/bhx342.

[38] P. Mokhtari, B. Story, P. Alku, and H. Ando, "Estimation of the glottal flow from speech pressure signals: Evaluation of three variants of iterative adaptive inverse filtering using computational physical modelling of voice production," Speech Commun., vol.104, pp.24–38, 2018, doi:10.1016/j.specom.2018.09.005.

[39] T. Morita et al., "Self-Face Recognition Begins to Share Active Region in Right Inferior Parietal Lobule with Proprioceptive Illusion During Adolescence," Cerebral Cortex, vol.28, no.4, pp.1532–1548, 2018, doi:10.1093/cercor/bhy027.

[40] L. S. Morris et al., "Anterior cingulate cortex connectivity is associated with suppression of behaviour in a rat model of chronic pain," Brain Neurosci. Adv., vol.2, p.2398212818779646, 2018, doi:10.1177/2398212818779646.

[41] M. Murakami, D. Kominami, K. Leibnitz, and M. Murata, "Drawing Inspiration from Human Brain Networks: Construction of Interconnected Virtual Networks," Sensors (Basel), vol.18, no.4, 2018, doi:10.3390/s18041133.

[42] A. M. Nagase et al., "Neural Mechanisms for Adaptive Learned Avoidance of Mental Effort," J. Neurosci., vol.38, no.10, pp.2631–2651, 2018, doi:10.1523/jneurosci.1995-17.2018.

[43] T. Nakai and K. Okanoya, "Neural Evidence of Cross-domain Structural Interaction between Language and Arithmetic," Sci. Rep., vol.8, 12873, 2018, doi:10.1038/s41598-018-31279-8.

[44] S. Nishida and S. Nishimoto, "Decoding naturalistic experiences from human brain activity via distributed representations of words," Neuroimage, vol.180, no.Pt A, pp.232–242, 2018, doi:10.1016/j.neuroimage.2017.08.017.

[45] A. Norbury, T. W. Robbins, and B. Seymour, "Value generalization in human avoidance learning," eLife, vol.7, 2018, doi:10.7554/eLife.34779.

[46] A. Norbury and B. Seymour, "Response heterogeneity: Challenges for personalised medicine and big data approaches in psychiatry and chronic pain," F1000Res, vol.7, p.55, 2018, doi:10.12688/f1000research.13723.2.

[47] H. Norimoto et al., "Hippocampal ripples down-regulate synapses," Science, vol.359, no.6383, pp.1524–1527, 2018, doi:10.1126/science.aao0702.

[48] H. Oishi, H. Takemura, S. C. Aoki, I. Fujita, and K. Amano, "Microstructural properties of the vertical occipital fasciculus explain the variability in human stereoacuity," Proc. Natl. Acad. Sci. USA, vol.115, no.48, pp.12289–12294, 2018, doi:10.1073/pnas.1804741115.

[49] T. Okonogi, R. Nakayama, T. Sasaki, and Y. Ikegaya, "Characterization of Peripheral Activity States and Cortical Local Field Potentials of Mice in an Elevated Plus Maze Test," Front. Behav. Neurosci., vol.12, p.62, 2018, doi:10.3389/fnbeh.2018.00062.

[50] A. Philippsen and Y. Nagai, "Understanding the cognitive mechanisms underlying autistic behavior: a recurrent neural network study," J. IEEE ICDL-EpiRob., pp.84–90, 2018, doi:10.1109/DEVLRN.2018.8761038.

[51] T. Sakaguchi, S. Iwasaki, M. Okada, K. Okamoto, and Y. Ikegaya, "Ethanol facilitates socially evoked memory recall in mice by recruiting pain-sensitive anterior cingulate cortical neurons," Nat. Commun., vol.9, no.1, p.3526, 2018, doi:10.1038/s41467-018-05894-y.

[52] K. Sato and Y. Ikegaya, "[Challenges to Improve the Prediction Accuracy of the Non-clinical Tests for Human CNS Adverse Effects: Potentials of Artificial Intelligence and Human ESC/iPSC-derived Neurons]," (in Japanese), Yakugaku Zasshi, vol.138, no.6, p.807, 2018, doi:10.1248/yakushi.17-00213-F.

[53] M. Sato, O. Yamashita, M. A. Sato, and Y. Miyawaki, "Information spreading by a combination of MEG source estimation and multivariate pattern classification," PLoS One, vol.13, no.6, e0198806, 2018, doi:10.1371/journal.pone.0198806.

[54] H. Toda et al., "Locally induced neuronal synchrony precisely propagates to specific cortical areas

without rhythm distortion," Sci. Rep., vol.8, no.1, p.7678, 2018, doi:10.1038/s41598-018-26054-8.

[55] T. Ueguchi, R. Ogihara, and S. Yamada, "Accuracy of Dual-Energy Virtual Monochromatic CT Numbers: Comparison between the Single-Source Projection-Based and Dual-Source Image-Based Methods," Acad. Radiol., vol.25, no.12, pp.1632–1639, 2018, doi:10.1016/j.acra.2018.02.022.

[56] M. Uesaki, H. Takemura, and H. Ashida, "Computational neuroanatomy of human stratum proprium of interparietal sulcus," Brain Struct. Funct., vol.223, no.1, pp.489–507, 2018, doi:10.1007/s00429-017-1492-1.

[57] O. Wang, S. W. Lee, J. O'Doherty, B. Seymour, and W. Yoshida, "Model-based and model-free pain avoidance learning," Brain Neurosci. Adv., vol.2, p.2398212818772964, 2018, doi:10.1177/2398212818772964.

[58] K. Watanabe and S. Funahashi, "Toward an understanding of the neural mechanisms underlying dual-task performance: Contribution of comparative approaches using animal models," Neurosci. Biobehav. R., vol.84, pp.12–28, 2018, doi:10.1016/j.neubiorev.2017.08.008.

[59] S. Yagi, H. Igata, Y. Shikano, Y. Aoki, T. Sasaki, and Y. Ikegaya, "Time-varying synchronous cell ensembles during consummatory periods correlate with variable numbers of place cell spikes," Hippocampus, vol.28, no.7, pp.471–483, 2018, doi:10.1002/hipo.22846.

[60] K. Yamashita et al., "Cerebrospinal fluid mitochondrial DNA in neuromyelitis optica spectrum disorder," J. Neuroinflammation, vol.15, no.1, p.125, 2018, doi:10.1186/s12974-018-1162-0.

[61] M. Yamashita et al., "A prediction model of working memory across health and psychiatric disease using whole-brain functional connectivity," eLife, vol.7, 12 10 2018, doi:10.7554/eLife.38844.

[62] T. Yanagisawa et al., "MEG-BMI to Control Phantom Limb Pain," Neurol Med. Chir. (Tokyo), vol.58, no.8, pp.327–333, 2018, doi:10.2176/nmc.st.2018-0099.

[63] Y. Yawata, K. Makino, and Y. Ikegaya, "Answering hastily retards learning," PLoS One, vol.13, no.4, p. e0195404, 2018, doi:10.1371/journal.pone.0195404.

[64] S. Zhang et al., "The control of tonic pain by active relief learning," eLife, vol.7, 2018, doi:10.7554/eLife.31949.

◆2019

[65] R. Abe, S. Okada, R. Nakayama, Y. Ikegaya, and T. Sasaki, "Social defeat stress causes selective attenuation of neuronal activity in the ventromedial prefrontal cortex," Sci. Rep., vol.9, no.1, p.9447, 2019, doi:10.1038/s41598-019-45833-5.

[66] K. Amemiya et al., "Local-to-distant development of the cerebrocerebellar sensorimotor network in the typically developing human brain: a functional and diffusion MRI study," Brain Struct. Funct., vol.224, no.3, pp.1359–1375, 2019, doi:10.1007/s00429-018-01821-5.

[67] T. Andrillon, J. Windt, T. Silk, S. P. A. Drummond, M. A. Beligrove, and N. Tsuchiya, "Does the Mind Wander When the Brain Takes a Break? Local Sleep in Wakefulness, Attentional Lapses and Mind-Wandering," Front. Neurosci.-Switz, vol.13, 949, 2019, doi:10.3389/fnins.2019.00949.

[68] D. Aoi, K. Hasegawa, L. Li, Y. Sakano, and S. Tanaka, "Effect of Multiple Iso-surfaces in Depth Perception in Transparent Stereoscopic Visualizations," Comm. Com. Inf. Sc., vol.1094, pp.174–186, 2019, doi:10.1007/978-981-15-1078-6_15.

[69] T. Araki et al., "Long-Term Implantable, Flexible, and Transparent Neural Interface Based on Ag/Au Core-Shell Nanowires," Adv. Healthc. Mater., vol.8, no.10, p.e1900130, 2019, doi:10.1002/adhm.201900130.

[70] S. A. Arbuckle, A. Yokoi, J. A. Pruszynski, and J. Diedrichsen, "Stability of representational geometry across a wide range of fMRI activity levels," Neuroimage, vol.186, pp.155–163, 2019, doi:10.1016/j.neuroimage.2018.11.002.

[71] M. Armendariz, H. Ban, A. E. Welchman, and W. Vanduffel, "Areal differences in depth cue integration between monkey and human," PLoS Biol., vol.17, no.3, p.e2006405, 2019, doi:10.1371/journal.pbio.2006405.

[72] D. Bullock et al., "Associative white matter connecting the dorsal and ventral posterior human cortex," Brain Struct. Funct., vol.224, no.8, pp.2631–2660, 2019, doi:10.1007/s00429-019-01907-8.

[73] U. S. Choi, H. Kawaguchi, Y. Matsuoka, T. Kober, and I. Kida, "Brain tissue segmentation based on MP2RAGE multi-contrast images in 7 T MRI," PLoS One, vol.14, no.2, p.e0210803, 2019, doi:10.1371/journal.pone.0210803.

[74] A. Emami, N. Kunii, T. Matsuo, T. Shinozaki, K. Kawai,

and H. Takahashi, “Seizure detection by convolutional neural network-based analysis of scalp electroencephalography plot images,” Neuroimage-Clin., vol.22, 101684, 2019, doi:10.1016/j.nicl.2019.101684.

[75] K. Fujita, M. Ohmachi, K. Ikezaki, T. Yanagida, and M. Iwaki, “Direct visualization of human myosin II force generation using DNA origami-based thick filaments,” Commun. Biol., vol.2, p.437, 2019, doi:10.1038/s42003-019-0683-0.

[76] H. Fukuda et al., “Computing Social Value Conversion in the Human Brain,” J. Neurosci., vol.39, no.26, pp.5153–5172, 2019, doi:10.1523/jneurosci., 3117-18. 2019.

[77] R. Fukuma et al., “Prediction of IDH and TERT promoter mutations in low-grade glioma from magnetic resonance images using a convolutional neural network,” Sci. Rep., vol.9, no.1, p.20311, 2019, doi:10.1038/s41598-019-56767-3.

[78] M. Furukawa, K. Matsumoto, M. Kurokawa, H. Miyamoto, and T. Maeda, “Walking Experience Under Equivalent Gravity Condition on Scale Conversion Telexistence,” 2019 26th IEEE Conference on Virtual Reality and 3d User Interfaces (VR2019), pp.1303–1304, 2019., doi: 10.1109/VR.2019.8798104

[79] G. Ganesh, T. Minamoto, and M. Haruno, “Activity in the dorsal ACC causes deterioration of sequential motor performance due to anxiety,” Nat. Commun., vol.10, no.1, p.4287, 2019, doi:10.1038/s41467-019-12205-6.

[80] M. Gao, K. Orita, and Y. Ikegaya, “Maternal Immune Activation in Pregnant Mice Produces Offspring with Altered Hippocampal Ripples,” Biol. Pharm. Bull., vol.42, no.5, pp.666–670, 2019, doi:10.1248/bpb.b19-00028.

[81] N. Gordon, J. Hohwy, M. J. Davidson, J. J. A. van Boxtel, and N. Tsuchiya, “From intermodulation components to visual perception and cognition-a review,” Neuroimage, vol.199, pp.480–494, 2019, doi:10.1016/j.neuroimage.2019.06.008.

[82] N. Gordon, N. Tsuchiya, R. Koenig-Robert, and J. Hohwy, “Expectation and attention increase the integration of top-down and bottom-up signals in perception through different pathways,” PLoS Biol., vol.17, no.4, p.e3000233, 2019, doi:10.1371/journal.pbio.3000233.

[83] T. Hyuga et al., “Regulatory roles of epithelial-mesenchymal interaction (EMI) during early and androgen dependent external genitalia development,” Differentiation, vol.110, pp.29–35, 2019, doi:10.1016/j.diff.2019.08.004.

[84] T. Ikegami, “Implicit Effects of Other’s Actions on One’s Own Actions in Sports,” Brain Nerve, vol.71, no.2, pp.113–124, 2019, doi:10.11477/mf.1416201230.

[85] Y. Ikegaya and N. Matsumoto, “Spikes in the sleeping brain,” Science, vol.366, no.6463, pp.306–307, 2019, doi:10.1126/science.aaz4534.

[86] Y. Kasahara, H. Igata, T. Sasaki, Y. Ikegaya, and R. Koyama, “The Pharmacological Assessment of GABA,” eNeuro, vol.6, no.1, 2019, doi:10.1523/eneuro.0429-18.2019.

[87] T. Kayama, K. Okamoto, M. Gao, Y. Ikegaya, and T. Sasaki, “Immature electrophysiological properties of human-induced pluripotent stem cell-derived neurons transplanted into the mouse cortex for 7 weeks,” Neuroreport, vol.30, no.3, pp.169–173, 2019, doi:10.1097/wnr.0000000000001178.

[88] S. C. Kirin et al., “Somatosensation Evoked by Cortical Surface Stimulation of the Human Primary Somatosensory Cortex,” Front. Neurosci., vol.13, p.1019, 2019, doi:10.3389/fnins.2019.01019.

[89] A. Koizumi et al., “Threat Anticipation in Pulvinar and in Superficial Layers of Primary Visual Cortex (V1). Evidence from Layer-Specific Ultra-High Field 7T fMRI,” eNeuro, vol.6, no.6, 2019, doi:10.1523/eneuro.0429-19.2019.

[90] N. Kuga et al., “Sniffing behaviour-related changes in cardiac and cortical activity in rats,” J. Physiol., vol.597, no.21, pp.5295–5306, 2019, doi:10.1113/jp278500.

[91] J. H. Lee, B. Seymour, J. Z. Leibo, S. J. An, and S. W. Lee, “Toward high-performance, memory-efficient, and fast reinforcement learning-Lessons from decision neuroscience,” Sci. Robot, vol.4, no.26, 2019, doi:10.1126/scirobotics.aav2975.

[92] A. Masaoka et al., “[Analysis of Workflow and Structuring of the Problem Element for Workflow Database Construction of Radiological Technologists in Radiation Therapy],” (in Japanese), Nihon Hoshasen Gijutsu Gakkai Zasshi, vol.75, no.11, pp.1286–1296, 2019, doi:10.6009/jjrt.2019_JSRT_75.11.1286.

[93] H. Miyamoto, T. Nishimura, I. Onishi, M. Furukawa, and T. Maeda, “Intuitive Operate the Robot with Unconscious Response in Behavioral Intention: Tsumori Control,” 2019 26th IEEE Conference on Virtual Reality and 3d User Interfaces (VR2019), pp.1337–1338, 2019, doi: 10.1109/VR.2019.8797987

[94] T. Miyazawa, H. Harai, Y. Yokota, and Y. Naruse, “Sparse Regression Model to Predict a Server Load for Dynamic Adjustments of Server Resources,” IEEE 2019, Conf. ICIN 2019, pp.249–256, 2019, doi:10.1109/ICIN.2019.8685907.

[95] P. Mokhtari et al., “Further observations on a principal components analysis of head-related transfer functions,” Sci. Rep., vol.9, 7477, 2019, doi:10.1038/s41598-019-43967-0.

[96] T. Morita, M. Asada, and E. Naito, “Developmental Changes in Task-Induced Brain Deactivation in Humans Revealed by a Motor Task,” Dev. Neurobiol., vol.79, no.6, pp.536–558, 2019, doi:10.1002/dneu.22701.

[97] M. Murakami, D. Kominami, K. Leibnitz, and M. Murata, “Reliable Design for a Network of Networks with Inspiration from Brain Functional Networks,” Appl. Sci., vol.9, no.18, 3809, 2019, doi:10.3390/app9183809.

[98] R. Nakano et al., “Auxin-mediated rapid degradation of target proteins in hippocampal neurons,” Neuroreport, vol.30, no.13, pp.908–913, 2019, doi:10.1097/wnr.0000000000001299.

[99] A. Nakashima, N. Ihara, M. Shigeta, H. Kiyonari, Y. Ikegaya, and H. Takeuchi, “Structured spike series specify gene expression patterns for olfactory circuit formation,” Science, vol.365, no.6448, 2019, doi:10.1126/science.aaw5030.

[100] H. Nakatani, S. Muto, Y. Nonaka, T. Nakai, T. Fujimura, and K. Okanoya, “Respect and admiration differentially activate the anterior temporal lobe,” Neurosci. Res., vol.144, pp.40–47, 2019, doi:10.1016/j.neures.2018.09.003.

[101] R. Nakayama, Y. Ikegaya, and T. Sasaki, “Cortical-wide functional correlations are associated with stress-induced cardiac dysfunctions in individual rats,” Sci. Rep., vol.9, no.1, p.10581, 2019, doi:10.1038/s41598-019-47171-y.

[102] R. Nakayama and I. Motoyoshi, “Attention Periodically Binds Visual Features As Single Events Depending on Neural Oscillations Phase-Locked to Action,” Journal of Neuroscience, vol.39, no.21, pp.4153–4161, 2019, doi:10.1523/Jneurosci.2494-18.2019.

[103] N. E. Nawa and H. Ando, “Effective connectivity within the ventromedial prefrontal cortex-hippocampus-amygdala network during the elaboration of emotional autobiographical memories,” Neuroimage, vol.189, pp.316–328, 2019, doi:10.1016/j.neuroimage.2019.01.042.

[104] K. Nishimura, L. Li, K. Hasegawa, A. Okamoto, Y. Sakano, and S. Tanaka, “Visual Guide to Improving Depth Perception in See-Through Visualization of Laser-Scanned 3D Point Clouds,” Comm. Com. Inf. Sc., vol.1094, pp.149–160, 2019, doi:10.1007/978-981-15-1078-6_13.

[105] H. Nomura, C. Teshirogi, D. Nakayama, M. Minami, and Y. Ikegaya, “Prior observation of fear learning enhances subsequent self-experienced fear learning with an overlapping neuronal ensemble in the dorsal hippocampus,” Mol. Brain, vol.12, no.1, p.21, 2019, doi:10.1186/s13041-019-0443-6.

[106] G. Northoff, N. Tsuchiya, and H. Saigo, “Mathematics and the Brain: A Category Theoretical Approach to Go Beyond the Neural Correlates of Consciousness,” Entropy-Switz, vol.21, no.12, 1234, 2019, doi:10.3390/e21121234.

[107] K. Okamoto and Y. Ikegaya, “Recurrent connections between CA2 pyramidal cells,” Hippocampus, vol.29, no.4, pp.305–312, 2019, doi:10.1002/hipo.23064.

[108] K. Osugi et al., “Differences in Brain Activity After Learning With the Use of a Digital Pen vs. an Ink Pen-An Electroencephalography Study,” Front. Hum. Neurosci., vol.13, p.275, 2019, doi:10.3389/fnhum.2019.00275.

[109] H. Sabu, T. Morita, H. Takahashi, E. Naito, and M. Asada, “Being a leader in a rhythmic interaction activates reward-related brain regions,” Neurosci. Res., vol.145, pp.39–45, 2019, doi:10.1016/j.neures.2018.08.009.

[110] N. Sakamoto, M. Kurokawa, M. Furukawa, and T. Maeda, “Guided Walking to Direct Pedestrians toward the Same Destination,” Proceedings of the 10th Augmented Human International Conference 2019 (AH2019), 2019, doi:10.1145/3311823.3311835.

[111] M. Sasaki, J. Iversen, and D. E. Callan, “Music Improvisation Is Characterized by Increase EEG Spectral Power in Prefrontal and Perceptual Motor Cortical Sources and Can be Reliably Classified From Non-improvisatory Performance,” Frontiers in Human Neuroscience, vol.13, 435, 2019, doi:10.3389/fnhum.2019.00435.

[112] Y. Sato, T. Miyawaki, A. Ouchi, A. Noguchi, S. Yamaguchi, and Y. Ikegaya, “Quick visualization of neurons in brain tissues using an optical clearing technique,” Anat. Sci. Int., vol.94, no.2, pp.199–208, 2019, doi:10.1007/s12565-018-00473-z.

[113] B. Seymour, “Pain: A Precision Signal for Reinforcement

Learning and Control," Neuron, vol.101, no.6, pp.1029–1041, 2019, doi:10.1016/j.neuron.2019.01.055.

[114] Y. Shikano, Y. Nishimura, T. Okonogi, Y. Ikegaya, and T. Sasaki, "Vagus nerve spiking activity associated with locomotion and cortical arousal states in a freely moving rat," Eur. J. Neurosci., vol.49, no.10, pp.1298–1312, 2019, doi:10.1111/ejn.14275.

[115] R. Shinkuma, S. Nishida, M. Kado, N. Maeda, and S. Nishimoto, "Relational Network of People Constructed on the Basis of Similarity of Brain Activities," IEEE Access, vol.7, pp.110258–110266, 2019, doi:10.1109/Access.2019.2933990.

[116] A. Takagi, M. Hirashima, D. Nozaki, and E. Burdet, "Individuals physically interacting in a group rapidly coordinate their movement by estimating the collective goal," eLife, vol.8, 2019, doi:10.7554/eLife.41328.

[117] K. Takami and M. Haruno, "Behavioral and functional connectivity basis for peer-influenced bystander participation in bullying," Soc. Cogn. Affect. Neurosci., vol.14, no.1, pp.23–33, 2019, doi:10.1093/scan/nsy109.

[118] H. Takemura et al., "Diffusivity and quantitative T1 profile of human visual white matter tracts after retinal ganglion cell damage," Neuroimage Clin., vol.23, p.101826, 2019, doi:10.1016/j.nicl.2019.101826.

[119] H. Takemura, F. Pestilli, and K. S. Weiner, "Comparative neuroanatomy: Integrating classic and modern methods to understand association fibers connecting dorsal and ventral visual cortex," Neurosci. Res., vol.146, pp.1–12, 2019, doi:10.1016/j.neures.2018.10.011.

[120] S. Takenaka et al., "Towards prognostic functional brain biomarkers for cervical myelopathy: A resting-state fMRI study," Sci. Rep., vol.9, no.1, p.10456, 2019, doi:10.1038/s41598-019-46859-5.

[121] T. Tanaka, F. Nishimura, C. Kakiuchi, K. Kasai, M. Kimura, and M. Haruno, "Interactive effects of OXTR and GAD1 on envy-associated behaviors and neural responses," PLoS One, vol.14, no.1, p. e0210493, 2019, doi:10.1371/journal.pone.0210493.

[122] S. Uehara, N. Mizuguchi, S. Hirose, S. Yamamoto, and E. Naito, "Involvement of human left frontoparietal cortices in neural processes associated with task-switching between two sequences of skilled finger movements," Brain Res., vol.1722, p.146365, 2019, doi:10.1016/j.brainres.2019.146365.

[123] M. Watanabe et al., "Ocular drift reflects volitional action preparation," Eur. J. Neurosci., vol.50, no.2, pp.1892–1910, 2019, doi:10.1111/ejn.14365.

[124] N. Watanabe, J. P. Bhanji, H. Ohira, and M. R. Delgado, "Reward-Driven Arousal Impacts Preparation to Perform a Task via Amygdala-Caudate Mechanisms," Cereb. Cortex, vol.29, no.7, pp.3010–3022, 2019, doi:10.1093/cercor/bhy166.

[125] B. Wutzl, K. Leibnitz, F. Rattay, M. Kronbichler, M. Murata, and S. M. Golaszewski, "Genetic algorithms for feature selection when classifying severe chronic disorders of consciousness," PLoS One, vol.14, no.7, p.e0219683, 2019, doi:10.1371/journal.pone.0219683.

[126] A. Yokoi and J. Diedrichsen, "Neural Organization of Hierarchical Motor Sequence Representations in the Human Neocortex," Neuron, vol.103, no.6, pp.1178–1190.e7, 2019, doi:10.1016/j.neuron.2019.06.017.

[127] Y. Yokota, T. Soshi, and Y. Naruse, "Error-related negativity predicts failure in competitive dual-player video games," PLoS One, vol.14, no.2, p.e0212483, 2019, doi:10.1371/journal.pone.0212483.

[128] S. Yuki, H. Nakatani, T. Nakai, K. Okanoya, and R. O. Tachibana, "Regulation of action selection based on metacognition in humans via a ventral and dorsal medial prefrontal cortical network," Cortex, vol.119, pp.336–349, 2019, doi:10.1016/j.cortex.2019.05.001.

[129] Z. Zhou, Y. Ikegaya, and R. Koyama, "The Astrocytic cAMP Pathway in Health and Disease," Int. J. Mol. Sci., vol.20, no.3, 2019, doi:10.3390/ijms20030779.

◆2020

[130] R. Amerineni, R. S. Gupta, and L. Gupta, "CINET: A Brain–Inspired Deep Learning Context-Integrating Neural Network Model for Resolving Ambiguous Stimuli," Brain Sci., vol.10, no.2, 2020, doi:10.3390/brainsci10020064.

[131] T. Araki et al., "Flexible neural interfaces for brain implants-the pursuit of thinness and high density," Flex Print Electron, vol.5, no.4, 043002, 2020, doi:10.1088/2058-8585/abc3ca.

[132] T. Araki, Y. Ikegaya, and R. Koyama, "Microglia attenuate the kainic acid-induced death of hippocampal neurons in slice cultures," Neuropsychopharmacol Rep., vol.40, no.1, pp.85–91, 2020, doi:10.1002/npr2.

12086.

[133] S. Becker, M. Löffler, and B. Seymour, “Reward Enhances Pain Discrimination in Humans,” Psychol. Sci., vol.31, no.9, pp.1191–1199, 2020, doi:10.1177/0956797620939588.

[134] A. N. Belkacem, K. Kiso, E. Uokawa, T. Goto, S. Yorifuji, and M. Hirata, “Neural Processing Mechanism of Mental Calculation Based on Cerebral Oscillatory Changes: A Comparison Between Abacus Experts and Novices,” Front. Hum. Neurosci., vol.14, 137, 2020, doi:10.3389/fnhum.2020.00137.

[135] U. S. Choi, H. Kawaguchi, and I. Kida, “Cerebral artery segmentation based on magnetization-prepared two rapid acquisition gradient echo multi-contrast images in 7 Tesla magnetic resonance imaging,” Neuroimage, vol.222, p.117259, 2020, doi:10.1016/j.neuroimage.2020.117259.

[136] U. S. Choi, Y. W. Sung, and S. Ogawa, “Measurement of ultra-fast signal progression related to face processing by 7T fMRI,” Hum. Brain Mapp., vol.41, no.7, pp.1754–1764, 2020, doi:10.1002/hbm.24907.

[137] D. Cohen, S. Sasai, N. Tsuchiya, and M. Oizumi, “A general spectral decomposition of causal influences applied to integrated information,” J. Neurosci. Meth., vol.330, 108443, 2020, doi:10.1016/j.jneumeth.2019.108443.

[138] M. J. Davidson, I. L. Graafsma, N. Tsuchiya, and J. van Boxtel, “A multiple-response frequency-tagging paradigm measures graded changes in consciousness during perceptual filling-in,” Neurosci. Conscious, vol.2020, no.1, p.niaa002, 2020, doi:10.1093/nc/niaa002.

[139] M. J. Davidson, W. Mithen, H. Hogendoorn, J. J. van Boxtel, and N. Tsuchiya, “The SSVEP tracks attention, not consciousness, during perceptual filling-in,” eLife, vol.9, 2020, doi:10.7554/eLife.60031.

[140] K. Enomoto, N. Matsumoto, H. Inokawa, M. Kimura, and H. Yamada, “Topographic distinction in long-term value signals between presumed dopamine neurons and presumed striatal projection neurons in behaving monkeys,” Sci. Rep., vol.10, no.1, p.8912, 2020, doi:10.1038/s41598-020-65914-0.

[141] A. Frid, L. M. Manevitz, and N. E. Nawa, “Classifying the valence of autobiographical memories from fMRI data,” Ann. Math. Artif. Intel., vol.88, no.11–12, pp.1261–1274, 2020, doi:10.1007/s10472-020-09705-3.

[142] S. Fujiwara et al., “Feasibility of IVIM parameters from diffusion-weighted imaging at 11.7T MRI for detecting ischemic changes in common carotid artery occlusion rats,” Sci. Rep., vol.10, no.1, 8404, 2020, doi:10.1038/s41598-020-65310-8.

[143] M. Fukushima and O. Sporns, “Structural determinants of dynamic fluctuations between segregation and integration on the human connectome,” Commun. Biol., vol.3, no.1, p.606, 2020, doi:10.1038/s42003-020-01331-3.

[144] R. J. Gougelet, C. Terzibas, and D. E. Callan, “Cerebellum, Basal Ganglia, and Cortex Mediate Performance of an Aerial Pursuit Task,” Front. Hum. Neurosci., vol.14, p.29, 2020, doi:10.3389/fnhum.2020.00029.

[145] M. J. Hayashi and R. B. Ivry, “Duration Selectivity in Right Parietal Cortex Reflects the Subjective Experience of Time,” J. Neurosci., vol.40, no.40, pp.7749–7758, 2020, doi:10.1523/jneurosci.0078-20.2020.

[146] A. S. Ihara, A. Miyazaki, Y. Izawa, M. Takayama, K. Hanayama, and J. Tanemura, “Enhancement of Facilitation Training for Aphasia by Transcranial Direct Current Stimulation,” Front. Hum. Neurosci., vol.14, p.573459, 2020, doi:10.3389/fnhum.2020.573459.

[147] K. Ishibashi, H. Sakakibara, and K. Oiwa, “Force-Generating Mechanism of Axonemal Dynein in Solo and Ensemble,” Int. J. Mol. Sci., vol.21, no.8, 2843, 2020, doi:10.3390/ijms21082843.

[148] T. Ishikawa and Y. Ikegaya, “Locally sequential synaptic reactivation during hippocampal ripples,”, Sci. Adv., vol.6, no.7, p.eaay1492, 2020, doi:10.1126/sciadv.aay1492.

[149] T. Ishikawa, C. Kobayashi, N. Takahashi, and Y. Ikegaya, “Functional Multiple-Spine Calcium Imaging from Brain Slices,” STAR Protoc., vol.1, no.3, p.100121, 2020, doi:10.1016/j.xpro.2020.100121.

[150] T. Kaneko, H. Takemura, F. Pestilli, A. C. Silva, F. Q. Ye, and D. A. Leopod, “Spatial organization of occipital white matter tracts in the common marmoset,” Brain Struct. Funct., vol.225, no.4, pp.1313–1326, 2020, doi:10.1007/s00429-020-02060-3.

[151] N. Kimura and R. van Deursen, “The Effect Of Visual Dual -Tasking Interference On Walking In Healthy Young Adults,” Gait Posture, vol.79, pp.80–85, 2020, doi:10.1016/j.gaitpost.2020.04.018.

[152] N. Koide-Majima, T. Nakai, and S. Nishimoto, “Distinct dimensions of emotion in the human brain and their representation on the cortical surface,” Neuroimage, vol.222, p.117258, 2020, doi:10.1016/

j.neuroimage.2020.117258.

[153] A. Koizumi et al., “Atypical spatial frequency dependence of visual metacognition among schizophrenia patients,” Neuroimage-Clin., vol.27, 102296, 2020, doi:10.1016/j.nicl.2020.102296.

[154] S. Minami, H. Oishi, H. Takemura, and K. Amano, “Inter-individual Differences in Occipital Alpha Oscillations Correlate with White Matter Tissue Properties of the Optic Radiation,” eNeuro, vol.7, no.2, 2020, doi:10.1523/ENEURO.0224-19.2020.

[155] K. Miyake, S. Yagi, Y. Aoki, Y. Shikano, Y. Ikegaya, and T. Sasaki, “Acute Effects of Ethanol on Hippocampal Spatial Representation and Offline Reactivation,” Front. Cell Neurosci., vol.14, p.571175, 2020, doi:10.3389/fncel.2020.571175.

[156] T. Miyawaki et al., “Visualization and molecular characterization of whole-brain vascular networks with capillary resolution,” Nat. Commun., vol.11, no.1, p.1104, 2020, doi:10.1038/s41467-020-14786-z.

[157] T. Morita, M. Asada, and E. Naito, “Right-hemispheric Dominance in Self-body Recognition is Altered in Left-handed Individuals,” Neuroscience, vol.425, pp.68–89, Jan. 15 2020, doi:10.1016/j.neuroscience.2019.10.056.

[158] E. Naito, T. Morita, and M. Asada, “Importance of the Primary Motor Cortex in Development of Human Hand/Finger Dexterity,” Cereb. Cortex Commun., vol.1, no.1, p.tgaa085, 2020, doi:10.1093/texcom/tgaa085.

[159] T. Nakai and S. Nishimoto, “Quantitative models reveal the organization of diverse cognitive functions in the brain,” Nat. Commun., vol.11, no.1, 1142, 2020, doi:10.1038/s41467-020-14913-w.

[160] T. Nakai and S. Nishimoto, “[(5)Decoding Perceptual and Cognitive Contents from Brain Activity:A Review],” (in Japanese), No Shinkei Geka, vol.48, no.5, pp.458–467, 2020, doi:10.11477/mf.1436204209.

[161] T. Nakai and K. Okanoya, “Cortical collateralization induced by language and arithmetic in non-right-handers,” Cortex, vol.124, pp.154–166, 2020, doi:10.1016/j.cortex.2019.11.009.

[162] H. Nakatani et al., “Trait Respect Is Linked to Reduced Gray Matter Volume in the Anterior Temporal Lobe,” Front. Hum. Neurosci., vol.14, 344, 2020, doi:10.3389/fnhum.2020.00344.

[163] R. Nakayama and A. O. Holcombe, “Attention updates the perceived position of moving objects,” J. Vision, vol.20, no.4, 21, 2020, doi:10.1167/jov.20.4.21.

[164] R. Nakayama and A. O. Holcombe, “A dynamic noise background reveals perceptual motion extrapolation: The twinkle-goes illusion,” J. Vision, vol.21, no.11, 14, 2020, doi:10.1167/jov.21.11.14.

[165] K. Narikiyo et al., “The claustrum coordinates cortical slow-wave activity,” Nat. Neurosci., vol.23, no.6, pp.741–753, 2020, doi:10.1038/s41593-020-0625-7.

[166] N. E. Nawa and H. Ando, “Effective connectivity during autobiographical memory search,” Brain and Behavior, vol.10, no.8, e01719, 2020, doi:10.1002/brb3.1719.

[167] K. Nemoto et al., “Differentiation of schizophrenia using structural MRI with consideration of scanner differences: A real-world multisite study,” Psychiatry Clin. Neurosci., vol.74, no.1, pp.56–63, 2020, doi:10.1111/pcn.12934.

[168] T. Niikawa, K. Miyahara, H. T. Hamada, and S. Nishida, “A new experimental phenomenological method to explore the subjective features of psychological phenomena: its application to binocular rivalry,” Neurosci. Conscious., vol.2020, no.1, p. niaa018, 2020, doi:10.1093/nc/niaa018.

[169] S. Nishida, Y. Nakano, A. Blanc, N. Maeda, M. Kado, and S. Nishimoto, “Brain-Mediated Transfer Learning of Convolutional Neural Networks,” Proc. AAAI Conf. Artif. Intell., vol.34, pp.5281–5288, 2020, doi: 10.1609/aaai.v34i04.5974.

[170] T. Nishimura, A. Hara, H. Miyamoto, M. Furukawa, and T. Maeda, “Mutual Prediction Model for Predicting Information for Human Motion Generation,” 2020 IEEE/SICE Int. Symp. Sys. Integr. (SII), pp. 687-692, 2020, doi: 10.1109/SII46433.2020.9026182.

[171] A. Ogaki, T. Araki, M. Ishikawa, Y. Ikegaya, and R. Koyama, “A live imaging-friendly slice culture method using collagen membranes,” Neuropsychopharmacol Rep, vol.40, no.3, pp.307–313, 2020, doi:10.1002/npr2.12128.

[172] A. Ogaki, Y. Ikegaya, and R. Koyama, “Vascular Abnormalities and the Role of Vascular Endothelial Growth Factor in the Epileptic Brain,” Front. Pharmacol., vol.11, p.20, 2020, doi:10.3389/fphar.2020.00020.

[173] N. J. Popp, A. Yokoi, P. L. Gribble, and J. Diedrichsen, “The effect of instruction on motor skill learning,” J. Neurophysiol., vol.124, no.5, pp.1449–1457, 2020, doi:10.1152/jn.00271.2020.

[174] C. Prablanc et al., “Adapting terminology: clarifying prism adaptation vocabulary, concepts, and meth-

ods," Neurosci. Res., vol.153, pp.8–21, 2020, doi:10.1016/j.neures.2019.03.003.

[175] E. G. Rowe, N. Tsuchiya, and M. I. Garrido, "Detecting (Un)seen Change: The Neural Underpinnings of (Un)conscious Prediction Errors," Front. Syst. Neurosci., vol.14, p.541670, 2020, doi:10.3389/fnsys.2020.541670.

[176] G. Schauer, C. Y. Ogawa, N. Tsuchiya, and A. Bartels, "Conscious perception of flickering stimuli in binocular rivalry and continuous flash suppression is not affected by tACS-induced SSR modulation," Conscious Cogn., vol.82, p.102953, 2020, doi:10.1016/j.concog.2020.102953.

[177] T. Shimokawa, "[(3)Graph Theory]," (in Japanese), No Shinkei Geka, vol.48, no.3, pp.275–282, 2020, doi:10.11477/mf.1436204174.

[178] H. Takahashi, A. Emami, T. Shinozaki, N. Kunii, T. Matsuo, and K. Kawai, "Convolutional neural network with autoencoder-assisted multiclass labelling for seizure detection based on scalp electroencephalography," Comput. Biol. Med., vol.125, p.104016, 2020, doi:10.1016/j.compbiomed.2020.104016.

[179] K. Takami and M. Haruno, "Dissociable Behavioral and Neural Correlates for Target-Changing and Conforming Behaviors in Interpersonal Aggression," eNeuro, vol.7, no.3, 2020, doi:10.1523/eneuro.0273-19.2020.

[180] H. Takemura and M. T. de Schotten, "Perspectives given by structural connectivity bridge the gap between structure and function," Brain Struct. Funct. vol.225, no.4, pp.1189–1192, 2020, doi:10.1007/s00429-020-02080-z.

[181] H. Takemura et al., "Anatomy of nerve fiber bundles at micrometer-resolution in the vervet monkey visual system," eLife, vol.9, 2020, doi:10.7554/eLife.55444.

[182] H. Takemura, K. Yuasa, and K. Amano, "Predicting Neural Response Latency of the Human Early Visual Cortex from MRI-Based Tissue Measurements of the Optic Radiation," eNeuro, vol.7, no.4, 2020, doi:10.1523/ENEURO.0545-19.2020.

[183] S. Takenaka et al., "Resting-state Amplitude of Low-frequency Fluctuation is a Potentially Useful Prognostic Functional Biomarker in Cervical Myelopathy," Clin. Orthop. Relat. Res., vol.478, no.7, pp.1667–1680, 2020, doi:10.1097/corr.0000000000001157.

[184] J. E. Taylor et al., "An Evolutionarily Threat-Relevant Odor Strengthens Human Fear Memory," Front. Neurosci.-Switz., vol.14, 255, 2020, doi:10.3389/fnins.2020.00255.

[185] J. E. Taylor et al., "Corrigendum: An Evolutionarily Threat-Relevant Odor Strengthens Human Fear Memory," Front. Neurosci., vol.14, p.638, 2020, doi:10.3389/fnins.2020.00638.

[186] Y. Tsushima, S. Okada, Y. Kawai, A. Sumita, H. Ando, and M. Miki, "Effect of illumination on perceived temperature," PLoS One, vol.15, no.8, p.e0236321, 2020, doi:10.1371/journal.pone.0236321.

[187] Y. Tsushima, Y. Sawahata, and K. Komine, "Task-dependent fMRI decoder with the power to extend Gabor patch results to Natural images," Sci. Rep., vol.10, no.1, p.1382, 2020, doi:10.1038/s41598-020-58241-x.

[188] W. Wong et al., "The Dream Catcher experiment: blinded analyses failed to detect markers of dreaming consciousness in EEG spectral power," Neurosci. Conscious., vol.2020, no.1, p.niaa006, 2020, doi:10.1093/nc/niaa006.

[189] W. Wong and N. Tsuchiya, "Evidence accumulation clustering using combinations of features," MethodsX, vol.7, p.100916, 2020, doi:10.1016/j.mex.2020.100916.

[190] Y. Yamane, A. Kodama, M. Shishikura, K. Kimura, H. Tamura, and K. Sakai, "Population coding of figure and ground in natural image patches by V4 neurons," PLoS One, vol.15, no.6, p.e0235128, 2020, doi:10.1371/journal.pone.0235128.

[191] K. Yamashiro, M. Aoki, N. Matsumoto, and Y. Ikegaya, "Polyherbal Formulation Enhancing Cerebral Slow Waves in Sleeping Rats," Biol. Pharm. Bull., vol.43, no.9, pp.1356–1360, 2020, doi:10.1248/bpb.b20-00285.

[192] M. Yamashita, T. Shimokawa, F. Peper, and R. Tanemura, "Functional network activity during errorless and trial-and-error color-name association learning," Brain Behav., vol.10, no.8, p.e01723, 2020, doi:10.1002/brb3.1723.

[193] M. Yamashita et al., "Cognitive functions relating to aberrant interactions between task-positive and task-negative networks: Resting fMRI study of patients with schizophrenia," Appl. Neuropsychol. Adult, pp.1–9, 2020, doi:10.1080/23279095.2020.1852565.

[194] T. Yan et al., "Minimal Tissue Reaction after Chronic Subdural Electrode Implantation for Fully Implantable Brain-Machine Interfaces," Sensors (Basel), vol.21, no.1, 2020, doi:10.3390/s21010178.

[195] S. Zhang et al., "Pain Control by Co-adaptive

Learning in a Brain-Machine Interface," Curr. Biol., vol.30, no.20, pp.3935–3944.e7, 2020, doi:10.1016/j.cub.2020.07.066.

◆2021

[196] K. Amemiya, T. Morita, S. Hirose, T. Ikegami, M. Hirashima, and E. Naito, "Neurological and behavioral features of locomotor imagery in the blind," Brain Imaging Behav., vol.15, no.2, pp.656–676, 2021, doi:10.1007/s11682-020-00275-w.

[197] K. Amemiya, E. Naito, and H. Takemura, "Age dependency and lateralization in the three branches of the human superior longitudinal fasciculus," Cortex, vol.139, pp.116–133, 2021, doi:10.1016/j.cortex.2021.02.027.

[198] T. Andrillon, A. Burns, T. Mackay, J. Windt, and N. Tsuchiya, "Predicting lapses of attention with sleep-like slow waves," Nat. Commun., vol.12, no.1, 3657, 2021, doi:10.1038/s41467-021-23890-7.

[199] K. Aoyama et al., "Electrical Generation of Intranasal Irritating Chemosensation," IEEE Access, vol.9, pp.106714–106724, 2021, doi:10.1109/Access.2021.3100851.

[200] T. Araki, Y. Ikegaya, and R. Koyama, "The effects of microglia- and astrocyte-derived factors on neurogenesis in health and disease," Eur. J. Neurosci., vol.54, no.5, pp.5880–5901, 2021, doi:10.1111/ejn.14969.

[201] H. Ban, "Cortical Regions Contributing to the Reconstruction of the 3D Visual World," (in Japanese), Brain Nerve, vol.73, no.11, pp.1231–1236, 2021, doi:10.11477/mf.1416201922.

[202] A. Cataldo, N. Hagura, Y. Hyder, and P. Haggard, "Touch inhibits touch: sanshool-induced paradoxical tingling reveals perceptual interaction between somatosensory submodalities," Proc. Biol. Sci., vol.288, no.1943, p.20202914, 2021, doi:10.1098/rspb.2020.2914.

[203] D. H. F. Chang, N. F. Troje, Y. Ikegaya, I. Fujita, and H. Ban, "Spatiotemporal dynamics of responses to biological motion in the human brain," Cortex, vol.136, pp.124–139, 2021, doi:10.1016/j.cortex.2020.12.015.

[204] M. Chang, H. Ando, T. Maeda, and Y. Naruse, "Behavioral effect of mismatch negativity neurofeedback on foreign language learning," PLoS One, vol.16, no.7, e0254771, 2021, doi:10.1371/journal.pone.0254771.

[205] I. W. Y. Chou, H. Ban, and D. H. F. Chang, "Modulations of depth responses in the human brain by object context: Does biological relevance matter?," eNeuro, 2021, doi:10.1523/ENEURO.0039-21.2021.

[206] A. Cortese et al., "The DecNef collection, fMRI data from closed-loop decoded neurofeedback experiments," Sci. Data, vol.8, no.1, p.65, 2021, doi:10.1038/s41597-021-00845-7.

[207] Y. Donoshita, U. S. Choi, H. Ban, and I. Kida, "Assessment of olfactory information in the human brain using 7-Tesla functional magnetic resonance imaging," Neuroimage, vol.236, p.118212, 2021, doi:10.1016/j.neuroimage.2021.118212.

[208] M. Gao, A. Noguchi, and Y. Ikegaya, "The subiculum sensitizes retrosplenial cortex layer 2/3 pyramidal neurons," J. Physiol., vol.599, no.12, pp.3151–3167, 2021, doi:10.1113/jp281152.

[209] T. Hirono et al., "Age-related changes in gait speeds and asymmetry during circular gait and straight-line gait in older individuals aged 60-79 years," Geriatr Gerontol Int, vol.21, no.5, pp.404–410, 2021, doi:10.1111/ggi.14150.

[210] S. Hirose, "Valid and powerful second-level group statistics for decoding accuracy: Information prevalence inference using the i-th order statistic (i-test)," Neuroimage, vol.242, p.118456, 2021, doi:10.1016/j.neuroimage.2021.118456.

[211] C. L. A. Ho et al., "Orientation Preference Maps in Microcebus murinus Reveal Size-Invariant Design Principles in Primate Visual Cortex," Curr. Biol., vol.31, no.4, pp.733–741.e7, 2021, doi:10.1016/j.cub.2020.11.027.

[212] Y. Hoshi, K. Shibasaki, P. Gailly, Y. Ikegaya, and R. Koyama, "Thermosensitive receptors in neural stem cells link stress-induced hyperthermia to impaired neurogenesis via microglial engulfment," Sci. Adv., vol.7, no.48, p.eabj8080, 2021, doi:10.1126/sciadv.abj8080.

[213] H. Igata, Y. Ikegaya, and T. Sasaki, "Prioritized experience replays on a hippocampal predictive map for learning," Proc. Natl. Acad, Sci. U S A, vol.118, no.1, 2021, doi:10.1073/pnas.2011266118.

[214] H. Ikeda, Y. Saheki, Y. Sakano, A. Wada, H. Ando, and K. Tagai, "Facial radiance influences facial attractiveness and affective impressions of faces," Int. J. Cosmetic Sci., vol.43, no.2, pp.144–157, 2021, doi:10.1111/ics.12673.

[215] T. Ikegami, G. Ganesh, T. L. Gibo, T. Yoshioka, R. Osu, and M. Kawato, "Hierarchical motor adaptations negotiate failures during force field learning," PLoS Comput. Biol., vol.17, no.4, p.e1008481, 2021, doi:10.1371/journal.pcbi.1008481.

[216] Y. Ikutani et al., "Expert Programmers Have Fine-Tuned Cortical Representations of Source Code," eNeuro, vol.8, no.1, 2021, doi:10.1523/ENEURO.0405-20.2020.

[217] K. Ishizu, T. I. Shiramatsu, R. Hitsuyu, M. Oizumi, N. Tsuchiya, and H. Takahashi, "Information flow in the rat thalamo-cortical system: spontaneous vs. stimulus-evoked activities," Sci. Rep., vol.11, no.1, 19252, 2021, doi:10.1038/s41598-021-98660-y.

[218] S. Iwasaki and Y. Ikegaya, "Contextual Fear Memory Retrieval Is Vulnerable to Hippocampal Noise," Cereb Cortex, vol.31, no.2, pp.785–794, 2021, doi:10.1093/cercor/bhaa257.

[219] S. Iwasaki, T. Sasaki, and Y. Ikegaya, "Hippocampal beta oscillations predict mouse object-location associative memory performance," Hippocampus, vol.31, no.5, pp.503–511, 2021, doi:10.1002/hipo.23311.

[220] Y. Kadono et al., "Repetitive transcranial magnetic stimulation restores altered functional connectivity of central poststroke pain model monkeys," Sci. Rep., vol.11, no.1, p.6126, 2021, doi:10.1038/s41598-021-85409-w.

[221] T. Kaiju, M. Inoue, M. Hirata, and T. Suzuki, "High-density mapping of primate digit representations with a 1152-channel," J. Neural Eng., vol.18, no.3, 2021, doi:10.1088/1741-2552/abe245.

[222] Y. Kawashima, R. Li, S. C. Y. Chen, R. M. Vickery, J. W. Morley, and N. Tsuchiya, "Steady state evoked potential (SSEP) responses in the primary and secondary somatosensory cortices of anesthetized cats: Nonlinearity characterized by harmonic and intermodulation frequencies," PLoS One, vol.16, no.3, e0240147, 2021, doi:10.1371/journal.pone.0240147.

[223] H. M. Khoo et al., "Reliable Acquisition of Electroencephalography Data during Simultaneous Electroencephalography and Functional MRI," J. Vis. Exp., no.169, 2021, doi:10.3791/62247.

[224] N. Kimura, K. Ohata, S. Kawasaki, S. Nogi, A. Tsuruda, and S. Yamada, "Influencing kinetic energy using ankle-foot orthoses to help improve walking after stroke: a pilot study," Prosthet. Orthot. Int., vol.45, no.6, pp.513–520, 2021, doi:10.1097/Pxr.0000000000000041.

[225] K. Kobayashi, J. Umehara, S. Nakao, and N. Ichihashi, "Effective stretching position of the coracobrachialis muscle," J. Biomech., vol.120, 110390, 2021, doi:10.1016/j.jbiomech.2021.110390.

[226] N. Koide-Majima and K. Majima, "Fast and scalable classical machine-learning algorithm with similar performance to quantum circuit learning," Phys. Rev. A, vol.104, no.6, 062411, 2021, doi:10.1103/PhysRevA.104.062411.

[227] T. Komiyama, R. Goya, C. Aoyama, Y. Yokota, Y. Naruse, and S. Shimegi, "The combination of acute exercise and eye closure has a synergistic effect on alpha activity," Sci. Rep., vol.11, no.1, p.20186, 2021, doi:10.1038/s41598-021-99783-y.

[228] D. Konno, S. Nishimoto, T. Suzuki, Y. Ikegaya, and N. Matsumoto, "Multiple states in ongoing neural activity in the rat visual cortex," PLoS One, vol.16, no.8, p.e0256791, 2021, doi:10.1371/journal.pone.0256791.

[229] R. Kono, Y. Ikegaya, and R. Koyama, "Phagocytic Glial Cells in Brain Homeostasis," Cells, vol.10, no.6, 2021, doi:10.3390/cells10061348.

[230] S. G. Kuai, Q. Liang, Y. Y. He, and H. N. Wu, "Higher anxiety rating does not mean poor speech performance: dissociation of the neural mechanisms of anticipation and delivery of public speaking," Brain Imaging Behav., vol.15, no.4, pp.1934–1943, 2021, doi:10.1007/s11682-020-00387-3.

[231] A. Leung, D. Cohen, B. van Swinderen, and N. Tsuchiya, "Integrated information structure collapses with anesthetic loss of conscious arousal in Drosophila melanogaster," PLoS Comp. Biol., vol.17, no.2, e1008722, 2021, doi:10.1371/journal.pcbi.1008722.

[232] J. Liu, T. Kashima, S. Morikawa, A. Noguchi, Y. Ikegaya, and N. Matsumoto, "Molecular Characterization of Superficial Layers of the Presubiculum During Development," Front. Neuroanat., vol.15, p.662724, 2021, doi:10.3389/fnana.2021.662724.

[233] H. Machiyama, T. Yamaguchi, T. M. Watanabe, T. Yanagida, and H. Fujita, "Activation probability of a single naïve T cell upon TCR ligation is controlled by T cells interacting with the same antigen-presenting cell," FEBS Lett., vol.595, no.11, pp.1512–1524, 2021, doi:10.1002/1873-3468.14082.

[234] A. Maier and N. Tsuchiya, "Growing evidence for separate neural mechanisms for attention and

consciousness," Atten. Percept. Psycho., vol.83, no.2, pp.558–576, 2021, doi:10.3758/s13414-020-02146-4.

[235] L. Marcucci, H. Fukunaga, T. Yanagida, and M. Iwaki, "The Synergic Role of Actomyosin Architecture and Biased Detachment in Muscle Energetics: Insights in Cross Bridge Mechanism Beyond the Lever-Arm Swing," Int. J. Mol. Sci., vol.22, no.13, 2021, doi:10.3390/ijms22137037.

[236] Y. Masuda et al., "V1 Projection Zone Signals in Human Macular Degeneration Depend on Task Despite Absence of Visual Stimulus," Curr. Biol., vol.31, no.2, pp.406–412 e3, 2021, doi:10.1016/j.cub.2020.10.034.

[237] A. Matsumoto, T. Soshi, N. Fujimaki, and A. S. Ihara, "Distinctive responses in anterior temporal lobe and ventrolateral prefrontal cortex during categorization of semantic information," Sci. Rep., vol.11, no.1, p.13343, 2021, doi:10.1038/s41598-021-92726-7.

[238] H. Matsuura et al., "Original experimental rat model of blast-induced mild traumatic brain injury: a pilot study," Brain Injury, vol.35, no.3, pp.368–381, 2021, doi:10.1080/02699052.2020.1861653.

[239] K. Mori and M. Haruno, "Differential ability of network and natural language information on social media to predict interpersonal and mental health traits," J. Pers., vol.89, no.2, pp.228–243, 2021, doi:10.1111/jopy.12578.

[240] K. Mori and M. Iwanaga, "Being emotionally moved is associated with phasic physiological calming during tonic physiological arousal from pleasant tears," Int. J. Psychophysiol., vol.159, pp.47–59, 2021, doi:10.1016/j.ijpsycho.2020.11.006.

[241] K. Mori, A. Tanaka, H. Kawabata, and H. Arao, "The N400 and late occipital positivity in processing dynamic facial expressions with natural emotional voice," Neuroreport, vol.32, no.10, pp.858–863, 2021, doi:10.1097/WNR.0000000000001669.

[242] S. Morikawa, K. Katori, H. Takeuchi, and Y. Ikegaya, "Brain-wide mapping of presynaptic inputs to basolateral amygdala neurons," J. Comp. Neurol., vol.529, no.11, pp.3062–3075, 2021, doi:10.1002/cne.25149.

[243] T. Morita, M. Asada, and E. Naito, "Examination of the development and aging of brain deactivation using a unimanual motor task," Adv. Robotics, vol.35, no.13–14, pp.842–857, 2021, doi:10.1080/01691864.2021.1886168.

[244] T. Morita, M. Asada, and E. Naito, "Gray-Matter Expansion of Social Brain Networks in Individuals High in Public Self-Consciousness," Brain Sciences, vol.11, no.3, 374, 2021, doi:10.3390/brainsci11030374.

[245] E. Naito et al., "Bimanual digit training improves right-hand dexterity in older adults by reactivating declined ipsilateral motor-cortical inhibition," Sci. Rep., vol.11, no.1, p.22696, 2021, doi:10.1038/s41598-021-02173-7.

[246] E. Naito, T. Morita, N. Kimura, and M. Asada, "Existence of Interhemispheric Inhibition between Foot Sections of Human Primary Motor Cortices: Evidence from Negative Blood Oxygenation-Level Dependent Signal," Brain Sciences, vol.11, no.8, 1099, 2021, doi:10.3390/brainsci11081099.

[247] T. Nakai, N. Koide-Majima, and S. Nishimoto, "Correspondence of categorical and feature-based representations of music in the human brain," Brain Behav., vol.11, no.1, p.e01936, 2021, doi:10.1002/brb3.1936.

[248] T. Nakai, H. Q. Yamaguchi, and S. Nishimoto, "Convergence of Modality Invariance and Attention Selectivity in the Cortical Semantic Circuit," Cerebral Cortex, vol.31, no.10, pp.4825–4839, 2021, doi:10.1093/cercor/bhab125.

[249] T. Nakano, A. Ichiki, and T. Fujikado, "Pupil constriction via the parasympathetic pathway precedes perceptual switch of ambiguous stimuli," Int. J. Psychophysiol., vol.167, pp.15–21, 2021, doi:10.1016/j.ijpsycho.2021.06.006.

[250] S. Nakatani, N. Araki, T. Hoshino, O. Fukayama, and K. Mabuchi, "Brain-controlled cycling system for rehabilitation following paraplegia with delay-time prediction," J. Neural Eng., vol.18, no.1, 2021, doi:10.1088/1741-2552/abd1bf.

[251] R. Nakayama and A. O. Holcombe, "A dynamic noise background reveals perceptual motion extrapolation: The twinkle-goes illusion," J. Vis., vol.21, no.11, p.14, 2021, doi:10.1167/jov.21.11.14.

[252] N. E. Nawa and N. Yamagishi, "Enhanced academic motivation in university students following a 2-week online gratitude journal intervention," BMC Psychol., vol.9, no.1, p.71, 2021, doi:10.1186/s40359-021-00559-w.

[253] T. Nihonsugi, S. Numano, and M. Haruno, "Functional Connectivity Basis and Underlying Cognitive Mechanisms for Gender Differences in Guilt Aversion," eNeuro, vol.8, no.6, 2021, doi:10.1523/

eneuro.0226-21.2021.

[254] S. Nishida, A. Blanc, N. Maeda, M. Kado, and S. Nishimoto, "Behavioral correlates of cortical semantic representations modeled by word vectors," PLoS Compt. Biol., vol.17, no.6, e1009138, 2021, doi:10.1371/journal.pcbi.1009138.

[255] Y. Nishimura, Y. Ikegaya, and T. Sasaki, "Concurrent recordings of hippocampal neuronal spikes and prefrontal synaptic inputs from an awake rat," STAR Protoc., vol.2, no.2, p.100572, 2021, doi:10.1016/j.xpro.2021.100572.

[256] A. Noguchi, Y. Ikegaya, and N. Matsumoto, "In Vivo Whole-Cell Patch-Clamp Methods: Recent Technical Progress and Future Perspectives," Sensors (Basel), vol.21, no.4, 2021, doi:10.3390/s21041448.

[257] A. Ogaki, Y. Ikegaya, and R. Koyama, "Extracellular Vesicles Taken up by Astrocytes," Int. J. Mol. Sci., vol.22, no.19, 2021, doi:10.3390/ijms221910553.

[258] J. Ogasawara et al., "Deep neural network-based classification of cardiotocograms outperformed conventional algorithms," Sci. Rep., vol.11, no.1, p.13367, 2021, doi:10.1038/s41598-021-92805-9.

[259] K. I. Okada et al., "Impaired inhibition of return during free-viewing behaviour in patients with schizophrenia," Sci. Rep., vol.11, no.1, p.3237, 2021, doi:10.1038/s41598-021-82253-w.

[260] K. I. Okada et al., "Concomitant improvement in anti-saccade success rate and postural instability gait difficulty after rTMS treatment for Parkinson's disease," Sci. Rep., vol.11, no.1, p.2472, 2021, doi:10.1038/s41598-021-81795-3.

[261] M. Okada, R. Kono, Y. Sato, C. Kobayashi, R. Koyama, and Y. Ikegaya, "Highly active neurons emerging in vitro," J. Neurophysiol., vol.125, no.4, pp.1322–1329, 2021, doi:10.1152/jn.00663.2020.

[262] K. Okamoto et al., "Tb," Sci. Adv., vol.7, no.2, 2021, doi:10.1126/sciadv.abd2529.

[263] M. Osaka, M. Kaneda, M. Azuma, K. Yaoi, T. Shimokawa, and N. Osaka, "Capacity differences in working memory based on resting state brain networks," Sci. Rep., vol.11, no.1, p.19502, 2021, doi:10.1038/s41598-021-98848-2.

[264] C. Ota and T. Nakano, "Self-Face Activates the Dopamine Reward Pathway without Awareness," Cerebral Cortex, vol.31, no.10, pp.4420–4426, 2021, doi:10.1093/cercor/bhab096.

[265] M. Pope, M. Fukushima, R. F. Betzel, and O. Sporns, "Modular origins of high-amplitude cofluctuations in fine-scale functional connectivity dynamics," Proc. Natl. Acad. Sci. U S A, vol.118, no.46, 2021, doi:10.1073/pnas.2109380118.

[266] G. Revankar et al., "Frontal cortex deficits in Parkinson's disease patients vulnerable to pareidolias," J. Neurol. Sci., vol.429, pp.299–300, 2021, doi:10.1016/j.jns.2021.119491.

[267] G. S. Revankar et al., "Prestimulus Low-Alpha Frontal Networks Are Associated with Pareidolias in Parkinson's Disease," Brain Connect, vol.11, no.9, pp.772–782, 2021, doi:10.1089/brain.2020.0992.

[268] Y. Sakano, A. Wada, H. Ikeda, Y. Saheki, K. Tagai, and H. Ando, "Human brain activity reflecting facial attractiveness from skin reflection," Sci. Rep., vol.11, no.1, p.3412, 2021, doi:10.1038/s41598-021-82601-w.

[269] M. Shehata et al., "Team Flow Is a Unique Brain State Associated with Enhanced Information Integration and Interbrain Synchrony," eNeuro, vol.8, no.5, 2021, doi:10.1523/ENEURO.0133-21.2021.

[270] T. Shinozaki, "Biologically motivated learning method for deep neural networks using hierarchical competitive learning," Neural Networks, vol.144, pp.271–278, 2021, doi:10.1016/j.neunet.2021.08.027.

[271] M. Sumiya, K. Ashihara, H. Watanabe, T. Terada, S. Hiryu, and H. Ando, "Effectiveness of time-varying echo information for target geometry identification in bat-inspired human echolocation," PLoS One, vol.16, no.5, p.e0250517, 2021, doi:10.1371/journal.pone.0250517.

[272] Y. Takahashi et al., "Visualization of Spatial Distribution of Spermatogenesis in Mouse Testes Using Creatine Chemical Exchange Saturation Transfer Imaging," J. Magn. Reson. Imaging, vol.54, no.5, pp.1457–1465, 2021, doi:10.1002/jmri.27734.

[273] Y. Takahashi et al., "Accurate Estimation of the Duration of Testicular Ischemia Using Creatine Chemical Exchange Saturation Transfer (CrCEST) Imaging," J. Magn. Reason. Imaging, vol.53, no.5, pp.1559–1567, 2021, doi:10.1002/jmri.27456.

[274] H. Takemura and M. G. P. Rosa, "Understanding structure-function relationships in the mammalian visual system: part one," Brain Struct. Funct., vol.226, no.9, pp.2741–2744, 2021, doi:10.1007/s00429-021-02406-5.

[275] S. C. Tanaka et al., "A multi-site, multi-disorder resting-state magnetic resonance image database," Sci. Data, vol.8, no.1, p.227, 2021, doi:10.1038/s41597-021-01004-8.

[276] T. Tanaka, T. Nihonsugi, F. Ohtake, and M. Haruno, "A message of the majority with scientific evidence encourages young people to show their prosocial nature in COVID-19 vaccination," Sci. Rep., vol.11, no.1, p.23261, 2021, doi:10.1038/s41598-021-02230-1.

[277] L. Tang et al., "Neural Correlates of Temporal Presentness in the Precuneus: A Cross-linguistic fMRI Study based on Speech Stimuli," Cerebral Cortex, vol.31, no.3, pp.1538–1552, 2021, doi:10.1093/cercor/bhaa307.

[278] S. Taniguchi, Y. Higashi, H. Kataoka, H. Nakajima, and T. Shimokawa, "Functional Connectivity and Networks Underlying Complex Tool-Use Movement in Assembly Workers: An fMRI Study," Front. Hum. Neurosci., vol.15, p.707502, 2021, doi:10.3389/fnhum.2021.707502.

[279] S. Taniguchi, Y. Nakata, M. Inoue, and K. Marumoto, "Validation and Reliability of the Japanese Version of the Modified Parkinson Activity Scale (M-PAS)," Prog. Rehabil. Med, vol.6, p.20210051, 2021, doi:10.2490/prm.20210051.

[280] S. Tsuchimoto et al., "Use of common average reference and large-Laplacian spatial-filters enhances EEG signal-to-noise ratios in intrinsic sensorimotor activity," J. Neurosci. Methods, vol.353, p.109089, 2021, doi:10.1016/j.jneumeth.2021.109089.

[281] Y. Tsushima, Y. Nishino, and H. Ando, "Olfactory Stimulation Modulates Visual Perception Without Training," Front. Neurosci., vol.15, p.642584, 2021, doi:10.3389/fnins.2021.642584.

[282] R. Ueda and N. Abe, "Neural Representations of the Committed Romantic Partner in the Nucleus Accumbens," Psychol. Sci., vol.32, no.12, pp.1884–1895, 2021, doi:10.1177/09567976211021854.

[283] J. Umehara et al., "Acute and Prolonged Effects of Stretching on Shear Modulus of the Pectoralis Minor Muscle," J. Sports Sci. Med., vol.20, no.1, pp.17–25, 2021, doi:10.52082/jssm.2021.17.

[284] J. Umehara et al., "Regional differential stretching of the pectoralis major muscle: An ultrasound elastography study," J. Biomech., vol.121, p.110416, 2021, doi:10.1016/j.jbiomech.2021.110416.

[285] N. Wagatsuma, A. Hidaka, and H. Tamura, "Correspondence between Monkey Visual Cortices and Layers of a Saliency Map Model Based on a Deep Convolutional Neural Network for Representations of Natural Images," eNeuro, vol.8, no.1, 2021, doi:10.1523/ENEURO.0200-20.2020.

[286] Y. Watanabe, M. Okada, and Y. Ikegaya, "Towards threshold invariance in defining hippocampal ripples," J. Neural Eng., vol.18, no.6, 2021, doi:10.1088/1741-2552/ac3266.

[287] B. Wutzl et al., "Narrative Review: Quantitative EEG in Disorders of Consciousness," Brain Sci., vol.11, no.6, 2021, doi:10.3390/brainsci11060697.

[288] H. Q. Yamaguchi, K. L. Ode, and H. R. Ueda, "A design principle for posttranslational chaotic oscillators," iScience, vol.24, no.1, p.101946, 2021, doi:10.1016/j.isci.2020.101946.

[289] T. Yamanaka, N. Yamagishi, N. E. Nawa, and S. J. Anderson, "Assessing changes in mood state in university students following short-term study abroad," PLoS One, vol.16, no.12, p.e0261762, 2021, doi:10.1371/journal.pone.0261762.

[290] K. Yamashiro, J. Liu, N. Matsumoto, and Y. Ikegaya, "Deep Learning-Based Classification of GAD67-Positive Neurons Without the Immunosignal," Front. Neuroanat., vol.15, p.643067, 2021, doi:10.3389/fnana.2021.643067.

[291] J. Yang et al., "Functional heterogeneity in the left lateral posterior parietal cortex during visual and haptic crossmodal dot-surface matching," Brain Behav., vol.11, no.3, p.e02033, 2021, doi:10.1002/brb3.2033.

[292] K. Yaoi, M. Osaka, and N. Osaka, "Does Implicit Self-Reference Effect Occur by the Instantaneous Own-Name?," Front. Psychol., vol.12, p.709601, 2021, doi:10.3389/fpsyg.2021.709601.

[293] Y. Yokota and Y. Naruse, "Temporal Fluctuation of Mood in Gaming Task Modulates Feedback Negativity: EEG Study With Virtual Reality," Front. Hum. Neurosci., vol.15, 536288, 2021, doi:10.3389/fnhum.2021.536288.

[294] A. Yoshimoto, K. Yamashiro, Y. Ikegaya, and N. Matsumoto, "Acute Ramelteon Treatment Maintains the Cardiac Rhythms of Rats during Non-REM Sleep," Biol. Pharm. Bull., vol.44, no.6, pp.789–797, 2021, doi:10.1248/bpb.b20-00932.

[295] T. Yoshimura, M. Osaka, A. Osawa, and S. Maeshima, "The classical backward digit span task detects changes in working memory but is unsuitable for classifying the severity of dementia," Appl. Neuropsychol. Adult, pp.1–7, 2021, doi:10.1080/23279095.2021.1961774.

[296] T. W. Yoshioka, T. Doi, M. Abdolrahmani, and I. Fujita, "Specialized contributions of mid-tier stages

of dorsal and ventral pathways to stereoscopic processing in macaque," eLife, vol.10, 2021, doi:10.7554/eLife.58749.

[297] Z. Zhou et al., "Astrocytic cAMP modulates memory via synaptic plasticity," Proc. Natl. Acad. Sci. U S A, vol.118, no.3, 2021, doi:10.1073/pnas.2016584118.

◆2022

[298] A. N. Belkacem, T. H. Falk, T. Yanagisawa, and C. Guger, "Editorial: Cognitive and Motor Control Based on Brain-Computer Interfaces for Improving the Health and Well-Being in Older Age," Front. Hum. Neurosci., vol.16, p.881922, 2022, doi:10.3389/fnhum.2022.881922.

[299] A. Callan and D. E. Callan, "Understanding how the human brain tracks emitted speech sounds to execute fluent speech production," PLoS Biol., vol.20, no.2, p.e3001533, 2022, doi:10.1371/journal.pbio.3001533.

[300] D. Cohen, T. Nakai, and S. Nishimoto, "Brain networks are decoupled from external stimuli during internal cognition," Neuroimage, vol.256, p.119230, 2022, doi:10.1016/j.neuroimage.2022.119230.

[301] S. Daniel, T. Andrillon, N. Tsuchiya, and J. J. A. van Boxtel, "Divided attention in the tactile modality," Atten. Percept. Psycho., vol.84, no.1, pp.47–63, 2022, doi:10.3758/s13414-021-02352-8.

[302] J. De Havas, P. Haggard, H. Gomi, S. Bestmann, Y. Ikegaya, and N. Hagura, "Evidence that endpoint feedback facilitates intermanual transfer of visuomotor force learning by a cognitive strategy," J. Neurophysiol., vol.127, no.1, pp.16–26, 2022, doi:10.1152/jn.00008.2021.

[303] R. Fukuma et al., "Voluntary control of semantic neural representations by imagery with conflicting visual stimulation," Communications Biology, vol.5, no.1, 214, 2022, doi:10.1038/s42003-022-03137-x.

[304] F. Gambarota, N. Tsuchiya, M. Pastore, N. Di Polito, and P. Sessa, "Unconscious Visual Working Memory: A critical review and Bayesian meta-analysis," Neurosci. Biobehav. R., vol.136, 104618, May 2022, doi:10.1016/j.neubiorev.2022.104618.

[305] M. Hashiguchi, T. Koike, T. Morita, T. Harada, D. Le Bihan, and N. Sadato, "Neural substrates of accurate perception of time duration: A functional magnetic resonance imaging study," Neuropsychologia, vol.166, p.108145, 2022, doi:10.1016/j.neuropsychologia.2022.108145.

[306] G. Hatanaka, M. Inagaki, R. F. Takeuchi, S. Nishimoto, K. Ikezoe, and I. Fujita, "Processing of visual statistics of naturalistic videos in macaque visual areas V1 and V4," Brain Struct. Funct., vol.227, no.4, pp.1385–1403, 2022, doi:10.1007/s00429-022-02468-z.

[307] T. Hirono, T. Ikezoe, M. Taniguchi, M. Yamagata, J. Umehara, and N. Ichihashi, "Acute effects of ankle plantar flexor force-matching exercises on postural strategy during single leg standing in healthy adults," Gait Posture, vol.92, pp.428–434, 2022, doi:10.1016/j.gaitpost.2021.12.021.

[308] T. Ikegami, J. R. Flanagan, and D. M. Wolpert, "Reach adaption to a visuomotor gain with terminal error feedback involves reinforcement learning," PLoS One, vol.17, no.6, p.e0269297, 2022, doi:10.1371/journal.pone.0269297.

[309] M. Inagaki, K. I. Inoue, S. Tanabe, K. Kimura, M. Takada, and I. Fujita, "Rapid processing of threatening faces in the amygdala of nonhuman primates: subcortical inputs and dual roles," Cereb. Cortex, 2022, doi:10.1093/cercor/bhac109.

[310] J. Ito et al., "Latency shortening with enhanced sparseness and responsiveness in V1 during active visual sensing," Sci. Rep., vol.12, no.1, p.6021, 2022, doi:10.1038/s41598-022-09405-4.

[311] S. Kalhan, J. McFadyen, N. Tsuchiya, and M. I. Garrido, "Neural and computational processes of accelerated perceptual awareness and decisions: A 7T fMRI study," Human Brain Mapping, 2022, doi:10.1002/hbm.25889.

[312] T. Kayama, Y. Ikegaya, and T. Sasaki, "Phasic firing of dopaminergic neurons in the ventral tegmental area triggers peripheral immune responses," Sci. Rep., vol.12, no.1, p.1447, 2022, doi:10.1038/s41598-022-05306-8.

[313] I. Kimura, Y. Ugawa, M. J. Hayashi, and K. Amano, "Quadripulse stimulation: A replication study with a newly developed stimulator," Brain Stimul., vol.15, no.3, pp.579–581, 2022, doi:10.1016/j.brs.2022.03.006.

[314] N. Kimura, S. Kawasaki, A. Tsuruda, S. Nogi, and K. Ohata, "The centre of pressure position determined by capacity of weight-shifting in stride stances in individuals with post-stroke," Clin. Biomech., vol.91, 105534, 2022, doi:10.1016/j.clinbiomech.2021.105534.

[315] N. Kimura, M. Sato, Y. Kobayashi, and E. Naito, "Augmented activity of the forearm extensor muscles induced by vibratory stimulation of the palm of the hand in individuals with subacute post-stroke hemiplegia," Brain Injury, vol.36, no.6, pp.782–791, 2022, doi:10.1080/02699052.2022.2048694.

[316] R. Kitatani, A. Maeda, J. Umehara, and S. Yamada, "Different modulation of oscillatory common neural drives to ankle muscles during abrupt and gradual gait adaptations," Exp. Brain Res., vol.240, no.3, pp.871–886, 2022, doi:10.1007/s00221-021-06294-3.

[317] D. Konno, Y. Ikegaya, and T. Sasaki, "Weak representation of awake/sleep states by local field potentials in aged mice," Sci. Rep., vol.12, no.1, p.7766, 2022, doi:10.1038/s41598-022-11888-0.

[318] Y. Koyama et al., "A new therapy against ulcerative colitis via the intestine and brain using the Si-based agent," Sci. Rep., vol.12, no.1, p.9634, 2022, doi:10.1038/s41598-022-13655-7.

[319] N. Kuga, R. Abe, K. Takano, Y. Ikegaya, and T. Sasaki, "Prefrontal-amygdalar oscillations related to social behavior in mice," eLife, vol.11, 2022, doi:10.7554/eLife.78428.

[320] R. Kuwayama et al., "Establishment of mouse model of inherited PIGO deficiency and therapeutic potential of AAV-based gene therapy," Nat. Commun., vol.13, no.1, p.3107, 2022, doi:10.1038/s41467-022-30847-x.

[321] A. Leung and N. Tsuchiya, "Emergence of Integrated Information at Macro Timescales in Real Neural Recordings," Entropy (Basel), vol.24, no.5, 2022, doi:10.3390/e24050625.

[322] L. Li, Y. Yotsumoto, and M. J. Hayashi, "Temporal perceptual learning distinguishes between empty and filled intervals," Sci. Rep., vol.12, no.1, p.9824, 2022, doi:10.1038/s41598-022-13814-w.

[323] Q. C. Liang, R. M. Gallagher, and N. Tsuchiya, "How much can we differentiate at a brief glance: revealing the truer limit in conscious contents through the massive report paradigm (MRP)," Rōy. Soc. Open Sci., vol.9, no.5, 210394, 2022, doi:10.1098/rsos.210394.

[324] H. Maezawa et al., "Functional cortical localization of tongue movements using corticokinematic coherence with a deep learning-assisted motion capture system," Sci. Rep., vol.12, no.1, 388, 2022, doi:10.1038/s41598-021-04469-0.

[325] J. McFadyen, N. Tsuchiya, J. B. Mattingley, and M. I. Garrido, "Surprising Threats Accelerate Conscious Perception," Frontiers in Behavioral Neuroscience, vol.16, 797119, 2022, doi:10.3389/fnbeh.2022.797119.

[326] K. Mori, "Decoding peak emotional responses to music from computational acoustic and lyrical features," Cognition, vol.222, p.105010, 2022, doi:10.1016/j.cognition.2021.105010.

[327] K. Mori and M. Haruno, "Resting functional connectivity of the left inferior frontal gyrus with the dorsomedial prefrontal cortex and temporoparietal junction reflects the social network size for active interactions," Human Brain Mapping, vol.43, no.9, pp.2869–2879, 2022, doi:10.1002/hbm.25822.

[328] T. Morita, S. Hirose, N. Kimura, H. Takemura, M. Asada, and E. Naito, "Hyper-Adaptation in the Human Brain: Functional and Structural Changes in the Foot Section of the Primary Motor Cortex in a Top Wheelchair Racing Paralympian," Front. Syst. Neurosci., vol.16, p.780652, 2022, doi:10.3389/fnsys.2022.780652.

[329] Y. Morito and T. Murata, "Accumulation System: Distributed Neural Substrates of Perceptual Decision Making Revealed by fMRI Deconvolution," J. Neurosci., vol.42, no.24, pp.4891–4912, 2022, doi:10.1523/jneurosci.1062-21.2022.

[330] T. Nakai, N. Koide-Majima, and S. Nishimoto, "Music genre neuroimaging dataset," Data Brief, vol.40, p.107675, 2022, doi:10.1016/j.dib.2021.107675.

[331] T. Nihonsugi, T. Tanaka, and M. Haruno, "Gender differences in guilt aversion in Korea and the United Kingdom," Sci. Rep., vol.12, no.1, p.8187, 2022, doi:10.1038/s41598-022-12163-y.

[332] T. Niikawa, K. Miyahara, H. T. Hamada, and S. Nishida, "Functions of consciousness: conceptual clarification," Neurosci. Conscious, vol.2022, no.1, p.niac006, 2022, doi:10.1093/nc/niac006.

[333] A. Noguchi, R. Huszár, S. Morikawa, G. Buzsáki, and Y. Ikegaya, "Inhibition allocates spikes during hippocampal ripples," Nat. Commun., vol.13, no.1, p.1280, 2022, doi:10.1038/s41467-022-28890-9.

[334] S. Ogawa et al., "Multi-Contrast Magnetic Resonance Imaging of Visual White Matter Pathways in Patients With Glaucoma," Invest. Ophthalmol. Vis. Sci., vol.63, no.2, p.29, 2022, doi:10.1167/iovs.63.2.29.

[335] M. Osanai, K. Hikishima, and H. Onoe, "Editorial: Manganese-Enhanced MRI: A New Avenue of Functional and Structural Imaging in Neuroscience,"

Front. Neural Circuit, vol.16, 918500, 2022, doi:10.3389/fncir.2022.918500.

[336] L. Qianchen, R. M. Gallagher, and N. Tsuchiya, “How much can we differentiate at a brief glance: revealing the truer limit in conscious contents through the massive report paradigm (MRP),” Rōy. Soc. Open Sci., vol.9, no.5, p.210394, 2022, doi:10.1098/rsos.210394.

[337] Y. Song, M. Hirashima, and T. Takei, “Neural Network Models for Spinal Implementation of Muscle Synergies,” Front. Syst/Neurosci., vol.16, p.800628, 2022, doi:10.3389/fnsys.2022.800628.

[338] Y. Suda et al., “Prediction-Related Frontal-Temporal Network for Omission Mismatch Activity in the Macaque Monkey,” Front. Psychiatry, vol.13, p.557954, 2022, doi:10.3389/fpsyt.2022.557954.

[339] H. Takahashi, T. Morita, M. Ban, H. Sabu, N. Endo, and M. Asada, “Gradual Rhythm Change of a Drumming Robot Enhances the Pseudosense of Leading in Human-Robot Interactions,” IEEE Access, vol.10, pp.36813–36822, 2022, doi:10.1109/Access.2022.3163722.

[340] H. Takemura and M. G. P. Rosa, “Understanding structure-function relationships in the mammalian visual system: part two,” Brain Struct. Funct., vol.227, no.4, pp.1167–1170, 2022, doi:10.1007/s00429-022-02495-w.

[341] H. Tanaka et al., “Bayesian-based decipherment of in-depth information in bacterial chemical sensing beyond pleasant/unpleasant responses,” Sci. Rep., vol.12, no.1, p.2965, 2022, doi:10.1038/s41598-022-06732-4.

[342] H. Tanigawa et al., “Decoding distributed oscillatory signals driven by memory and perception in the prefrontal cortex,” Cell Rep., vol.39, no.2, p.110676, 2022, doi:10.1016/j.celrep.2022.110676.

[343] S. Taniguchi, N. D’Cruz, M. Nakagoshi, T. Osaki, and A. Nieuwboer, “Determinants of impaired bed mobility in Parkinson’s disease: Impact of hip muscle strength and motor symptoms,” NeuroRehabilitation, 2022, doi:10.3233/NRE-210301.

[344] N. Tsuchiya, S. Phillips, and H. Saigo, “Enriched category as a model of qualia structure based on similarity judgements,” Conscious Cogn., vol.101, p.103319, 2022, doi:10.1016/j.concog.2022.103319.

[345] Y. Ueda et al., “Agreement in rotator cuff muscles measurement between ultrasonography and magnetic resonance imaging,” Asia Pac. J. Sports Med. Arthrosc. Rehabil. Technol., vol.28, pp.13–20, 2022, doi:10.1016/j.asmart.2022.03.005.

[346] N. Yagi et al., “Singing Experience Influences RSST Scores,” Healthcare (Basel), vol.10, no.2, 2022, doi:10.3390/healthcare10020377.

[347] K. Yamashiro, Y. Ikegaya, and N. Matsumoto, “In Utero Electroporation for Manipulation of Specific Neuronal Populations,” Membranes (Basel), vol.12, no.5, 2022, doi:10.3390/membranes12050513.

[348] A. Yoshimoto, Y. Shibata, M. Kudara, Y. Ikegaya, and N. Matsumoto, “Enhancement of motor cortical gamma oscillations and sniffing activity by medial forebrain bundle stimulation precedes locomotion,” eNeuro, 2022, doi:10.1523/eneuro.0521-21.2022.